Massachusetts Department of Mental Retardation Annual Health Screening Recommendations Based on Massachusetts Health Quality Partnership (MHQP) Adult Preventive Care Recommendations 2005

Name:		Age:					Date:		
This format is to assist	t individuals, families,	and other support providers to ens	ure that screening	g tests that are appr	opriate to the individual ar	re considered at the	annual physical. Review BEFORE the annual health	visit.	
All Adults			Last date screen	Ask MD to evaluate need	Sensory Screening			Last Date	Ask MD
			performed	for screening	Hearing		y. Re-evaluate if hearing problem reported		
Height/Weight Measurement Annually					assessment				
Clinical breast/testicular exam Annually					Vision		y. Re-evaluate if vision problems or change		
Cancer Screen	ing				assessment	in behavior not			
Mammography	mmography Every 1-2 years after age 40, at discretion of				Glaucoma	Screen at least	once before age 40. Screen every 3-5		
(Women)	physician/patient. Earlier if family history. Recomme		mmend			years if risk factors present. Every 2-4 years after age 40. Mental and Behavioral Health			
	annually after age 50.								
Pap Smear	For women with	For women with prior sexual activity,			Depression				
(Women)	every 1-3 years after age 19. May be omitted after ag				Domontio	loss, general agitation. Monitor for problems performing daily activities. In person			
Colorectal	65 if previous screenings were consistently normal. Fecal Occult Blood Testing annually after age 50				Dementia	with Down Syndrome, annual screen after age 40.			
Colorectal Cancer screen		every 5 years after age 50	50		Immunizatio	Immunizations (in addition to routine childhood immunizations)			
	Significación de la seria de s					Tetanus-diphtheria booster Every 10 years			
	Colonoscopy Ev				Influenza vaccine				
	recommendation or if above screen not performed						Once		+
Prostate	Digital rectal exam (DRE) should be considered				Pneumococca		Once. Reevaluate antibody status every		+
cancer screen	with risk factors after age 40 and in all men after age 50				пераниз в уа	Hepatitis B vaccine Once. Reevaluate antibody status events by years.			
(Men)	PSA test at physician's discretion after age 50				Down Syndr	Down Syndrome (in addition to above recommendations)			
Skin cancer	Total skin exami	nation every 3 years from 20 –	39			Thyroid function test Every 3 years (sensitive TSH)			
screen							Obtain baseline as adult. Recommend		
Other Recomm					Cervical spine x-ray to rule out atlanto-axial instability. Obtain baseline as adul repeat if symptomatic.				
Hypertension	ng		ΙП	Echocardiogra		Baseline, if no records of cardiac function			
Cholesterol	Annually Every 5 years or at physician discretion.				Leriocardiogra	am	are available.		
Diabetes	, ,	plucose screen for people at hi	nh risk		General Cou	General Counseling and Guidance			
(Type II)	At least every 5 years until age 45. Every 3 years a age 45.				Prevention Co		Annually counsel regarding prevention of accidents related to		
(1)						g	falls, fire/burns, choking.		
Liver function	Test annually for Hepatitis B carriers				Abuse or neg	lect	Monitor for behavioral signs of abuse and neglect.		
Osteoporosis	Bone density screening per risk factors of general		ral		Healthy Lifest	yle	Annually counsel regarding diet/nutrition, incorporating		
	population. Additional risk factors include medications,						physical activity into daily routines, substance abuse.		
	mobility impairment, hypothyroid.				Preconception	n counseling.	As appropriate, including genetic counseling, folic acid		
Dysphagia and					011 0	supplementation, discussion of parenting c			
Aspiration GERD annually. Infectious Disease Screening						Other Screening to be Considered at this appointment: (may include tests			
					recommenaea p	reviously or by ot	her clinicians that have not yet been perform	<i>∋a)</i>	
Chlamydia and STDs Annually, if at risk									
HIV Periodic testing if at risk.									
Hepatitis B and C Tuberculosis		Periodic testing if at risk. Skin testing every 1-2 years for individuals at							
1 unci (ulusis	Skiii (68ti	Skin lesting every 1-2 years for individuals at fisk							